L Number	Hits	Search Text	DB	Time stamp
1	4	hash$3 with least with cost	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:01
2	1	hash$3 with ((least with cost) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:02
3	48	path with ((least with cost) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:03
4	7	(path with ((least with cost) with table)) and @ad<19960815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:10
5	3	("4656658" | "4931941" | "5452294").PN.	USPAT	2004/05/04 09:06
6	136	(remov$3 or delet$3 or drop$4 or discard$3) with (entr$3 with table) with ((predetermin$3 near1 time) or period)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:10
7	19	((remov$3 or delet$3 or drop$4 or discard$3) with (entr$3 with table) with ((predetermin$3 near1 time) or period)) and @ad<19960815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:10
8	4	("4345116" | "4669113" | "4704724" | "4788721").PN.	USPAT	2004/05/04 09:30
9	7	("3560663" | "3705523" | "3906164" | "4049906" | "4081612" | "4345116" | "4380063").PN.	USPAT	2004/05/04 09:58

C:\APPS\EAST\Workspaces\1.wsp

L Number	Hits	Search Text	DB	Time stamp
1	2	(("6256306") or ("5802054")).PN.	USPAT	2004/05/05 13:53
2	2	tag and ((("6256306") or ("5802054")).PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:54
3	2	(comput$3 with tag) and ((("6256306") or ("5802054")).PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:08
4	13204	(hash$3 or tag$4) same ((least with cost) or rout$3 or path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:09
5	14	(hash$3 or tag$4) same ((least with cost) with (rout$3 or path))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:17
6	38	(hash$3 or tag$4) same ((least with cost) and (rout$3 or path))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:17
7	24	((hash$3 or tag$4) same ((least with cost) and (rout$3 or path))) not ((hash$3 or tag$4) same ((least with cost) with (rout$3 or path)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:29
8	3	hash$3 with generat$3 with select$3 with field with frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:36
9	111	pseudo with random with tag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:38
10	8	hash$3 with (pseudo with random with tag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:37
11	19009	(generat$3 with (hash$3 or tag$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:38
12	194	((generat$3 with (hash$3 or tag$4))) same ((pseudo with random) with (tag$4 or hash$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:38
13	224	generat$3 same ((pseudo with random) with (tag$4 or hash$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:39
14	3	(select$3 with (frame with header)) same (generat$3 same ((pseudo with random) with (tag$4 or hash$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:44

C:\APPS\EAST\Workspaces\1.wsp

| 15 | 6 | (select$3 with (frame with header)) and (generat$3 same ((pseudo with random) with (tag$4 or hash$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 14:42 |
| 16 | 11 | (frame with header) same ((generat$3 same ((pseudo with random) with (tag$4 or hash$3))) or (((generat$3 with (hash$3 or tag$4))) same ((pseudo with random) with (tag$4 or hash$3)))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 14:42 |